

Richards-Wilcox Engineered for Life

Residential **Product** Catalogue



Landmark

Canada's Highest Quality Garage Doors, Since 1912 Contact an R-W Authorized Dealer Today!





OUR HISTORY

Canada's Highest Quality Doors, Since 1912

Celebrating Over 100 Years In Business

Incorporated in 1912, Richards-Wilcox was the first company in Canada to introduce sectional overhead doors and establish nationwide distribution channels. In the 1970s, RW launched a full line of steel sectional doors. In the 1980s, we began production of a continuous polyurethane insulated section – one of only three lines of its kind in North America.

The subsequent decades have brought continual improvements to our product offerings and manufacturing processes, including the addition of a full range of residential polyurethane insulated sectional doors. Celebrating our first centenary, RW is proud of our rich history of excellence. We are committed to be innovators of sectional door design and purpose to be the highest quality door systems manufacturer in the world.

Quality Production

Every aspect of our manufacturing operation is subject to the highest standards. Our team of engineers is dedicated to researching state-of-the-art design and production methods. An in-house testing facility and uncompromising quality control inspections make certain that only premium products leave the premises. Using the best available materials and technology guarantees that the finished door system will be reliable, strong, and worry-free for years to come.



Richards-Wilcox AUTHORIZED DEALERS

A door is only as good as its installation. That's why our doors are only installed by Authorized Dealers. This process ensures that every installation meets our standards of quality.



MADE IN CANADA

Richards-Wilcox Canada has been in business for over 100 years; from parts, to hardware to panels, R-W doors are proudly made in Canada.



LIMITED LIFETIMER™ WARRANTY

There are enough worries in life – your garage door shouldn't be one of them. When you choose Richards-Wilcox, you've chosen the best garage door you can buy and we'll back that up in writing with our Limited Life-Timer™ Warranty.

WEATHERLOCK™ SYSTEM



Landmark doors incorporate R-W's exclusive WeatherLock™ Section Joint. R-W's modified tongue and groove joint moves the joint closer to the exterior of the door face to limit air and water infiltration, while providing unyielding section strength and integrity. R-W's Dual Fin, Triple Contact Weather Seal is engineered to seal out dirt, bugs, wind, snow and water and match up beautifully with most garage styles and

colors. Our Arctic Grade Bulb Shaped Bottom Seal with a rust resistant Dual Contact aluminum retainer increases the strength of the bottom of the door.

ENGINEERED GARAGE DOOR SYSTEM

Our Garage Doors Last A Lifetime

Engineered and tested door systems that conform to the highest industry standards and regulations. R-W manufactures all door panels and major hardware components, giving us complete quality control from start to finish.

NEUFOAM™





Richards-Wilcox

WeatherLock™

In order to achieve the highest thermal values and stability, R-W sections are evenly filled environmentally friendly CFC/ HCFC-free Neufoam™. The higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.

TRU-BALANCE™ **DRUM SYSTEM**

Safely Manually Operate Your Garage Doors In Emergency Situations

The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard. This improved drum configuration delivers a smoother operation, and more control, as the door moves through the track radius in to the horizontal plane. Homeowners will have a piece of mind that they can safely operate

their garage door with ease in emergency situations. TruBalance™ also reduces the load on your electric door opener extending the service-free life span.

Richards-Wilcox

TruBalance™

INTRODUCING THE R-W Landmark Series™

The Newest Line of High-Performance Garage Door Systems By Richards-Wilcox.

Landmark is R-W's line of Neufoam™ insulated Garage Doors. From Classic to Modern, from Carriage House to Customizable Cedar Overlays. Landmark has you covered.

The R-W Landmark Collections Include:

- Classic L138 Page 6
- Premium L200 Page 8
- Classic Contemporary L138C Page 10
- Premium Contemporary L200C Page 10
- Grandview L200GV Page 12
- Briarcrest L200BC Page 14
- Echo Ridge L138ER Page 16
- Echo Ridge XL L200ERX Page 16
- Rockwood L200RW Page 18
- Rockwood Contemporary L200RWC Page 18

NEUFOAM™

Continuous polyurethane insulated core of high density foam resulting in an energy saving R Values .

AUTHENTIC WOODGRAIN EMBOSSING

The aesthetic of real wood without the maintenance hassle

HIGH-STRENGTH, RUST-RESISTANT, PRE-PAINTED GALVANIZED STEEL SHEETS

Available in a variety of colours to match the beauty of your home

WEATHERLOCK™ SECTION JOINT

R-W's modified tongue and groove joint moves the joint closer to the exterior of the door face to limit air and water infiltration, while providing unyielding section strength and integrity

BULB SEAL Prevents air leaks


THERMAL BREAK Prevents heat transfer and air infiltration

GALVANIZED STEEL ENDCAPS

Heavy duty for additional strength


ARCTIC GRADE BULB SHAPED BOTTOM SEAL

With a rust resistant aluminum retainer increasing the strength of the bottom edge of the door





PANEL STYLES



RECESSED GROOVED RANCH

RECESSED GROOVED COLONIAL

RECESSED SMOOTH RANCH

SEE PAGE 22 FOR WINDOW OPTIONS



DOOR

THICKNESS

1 3/8"

R-VALUE

12

SECTION

HEIGHTS

18" / 21" / 24" 5" to 12' in 3" Increme

MAX DOOR

SIZE

20' X 12'

COLOUR OPTIONS



SANDSTONE


BROWN

ALMOND











BLACK





SLATE GREY

*Not Available in Recessed Grooved Panel Styles.

SEE PAGE 21 FOR WOODTONES

CAFÉ



Limited Life Timer[™] Warranty For As Long As You Own Your Home

FEATURES & BENEFITS

- 1 3/8" of Neufoam™ Insulated polyurethane core to ensure energy efficiency.
- WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- 9 standard colours to choose from. (See page 21 for Woodtone
- 8 panel styles to chose from.

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.







Neufoam™

WeatherLock™ **System**

TruBalance Drum System™



PANEL STYLES



RAISED RANCH



WINDEMERE




RAISED COLONIAL



RECESSED GROOVED RANCH



FLUSH



RECESSED GROOVED COLONIAL






RECESSED SMOOTH RANCH

SEE PAGE 22 FOR WINDOW OPTIONS



MIXED PANEL

POPULAR MIXED PANEL OPTIONS





COLOUR OPTIONS



*Not Available in Recessed Grooved Panel Styles.

SEE PAGE 21 FOR WOODTONES





R-VALUE	DOOR	SECTION	MAX DOOR
	THICKNESS	HEIGHTS	SIZE
18	2"	18" / 21" / 24" 6'- 6" to 12' in 3" Increments	20' X 12'

FEATURES & BENEFITS

- 2" of Neufoam™ Insulated polyurethane core to ensure energy efficiency.
- WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- → TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- 9 standard colours to choose from. (See page 21 for Woodtone options)
- 9 panel styles to chose from.

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.







Neufoam™

WeatherLock™ System

TruBalance Drum System™



SMOKE

CLEAR

Aluminum Window

options are

not available

for the Classic


Contemporary (L138C)

Customize your garage door look with your own personal style, with the ability to place windows in any location on your door. Create a contemporary look and get creative in your window placement for a one-of-a kind look. Available in 2" (L200C) and 1 3/8" (L138C) sized panels.



The Contemporary Collection is evallable in many

The Contemporary Collection is available in many different window configurations. Talk to your R-W dealer to discuss. Multiple window configurations available.





COLOUR OPTIONS



VHITE ALMOND



BRONZE


SANDSTONE



BROWN



CAFÉ




DESERT TAN

SEE PAGE 21 FOR WOODTONES



Limited Life Timer[™] Warranty
For As Long As You Own Your Home



I	MODEL	R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
ı	L200C	18	2"	18" / 21" / 24"	18' X 10'
ı	L138C	12	1 3/8"	6'- 6" to 10' in 3" Increments	16' X 10'

FEATURES & BENEFITS

- 2" or 1 3/8" of Neufoam™ Insulated polyurethane core to ensure energy efficiency.
- WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- 9 standard colours to choose from. (See page 21 for Woodtone options)
- 2 panel styles to choose from.

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.





Neufoam™

WeatherLock™ System



PANEL STYLES




RAISED RANCH



WINDEMERE



RAISED COLONIAL



RECESSED GROOVED RANCH



FLUSH



RECESSED GROOVED COLONIAL




PLANK



RECESSED SMOOTH RANCH

WINDOW OPTIONS



Available in Clear, Obscure Pinhead and Satin Insulated Glass.



COLOUR OPTIONS





SANDSTONE



BROWN



CAFÉ*



DESERT TAN

*Not Available in Recessed Grooved Panel Styles.

SEE PAGE 21 FOR WOODTONES





R-VALUE	DOOR	SECTION	MAX DOOR	
	THICKNESS	HEIGHTS	SIZE	
18	2"	18" / 21" / 24"	18' X 12'	

FEATURES & BENEFITS

- Large 24" top windowed section to add sheer elegance to your
- 2" Neufoam™; Insulated polyurethane core to ensure energy efficiency.
- WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- 9 standard colours to choose from. (See page 21 for Woodtone options)
- 8 panel styles to choose from.

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.







Neufoam™

WeatherLock™ **System**



PANEL STYLES



A-BUCK



SWING



X-BUCK



BI-FOLD




V-BUCK

Note: Panel styles are available without windows.

Decorative Hardware does not come standard.

WINDOW OPTIONS



Available in Clear, Obscure Pinhead and Satin Insulated Glass.



COLOUR OPTIONS





R-VALUE	DOOR	SECTION	MAX DOOR		
	THICKNESS	HEIGHTS	SIZE		
18	2"	18" / 21" / 24"	18' X 12'		

FEATURES & BENEFITS

- Large top windowed section and recessed smooth design with inserts to provide a carriage house feel.
- 2" of Neufoam™; Insulated polyurethane core to ensure energy efficiency.
- WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- 9 standard colours to choose from.
- 5 panel styles.

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.



BROWN

Limited LifeTimer[™] Warranty

SLATE GREY

For As Long As You Own Your Home

CAFÉ








Neufoam™

WeatherLock™ **System**




A beautifully crafted door that has a vintage look, that's matched with technologically-advanced durability and strength. Adds period-charm with authentic-looking decorative hardware and five window insert options.

PANEL STYLES




This unique three-section door has overlays in five styles, providing numerous design combinations. Add period-charm and curb-appeal to your home.

PANEL STYLES





WINDOW OPTIONS



3 OVER 3 PANE ARCHED

Window Styles Not Pictured: 4 Pane Arched, 4 Over 4 Pane and 4 Over 4 Pane Arched

*10' (3048mm) wide doors use a 4-over-4 pattern

DOOR BASE COLOURS



*The 28" and 32" Echo Ridge XL (ER200ERX) base are only available in White.

OVERLAY BOARD COLOURS





FEATURES & BENEFITS

- 3 or 4 section doors with Carriage House Overlays
- 2 or 1 3/8" Neufoam™; Insulated polyurethane core to ensure energy efficiency
- > WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- → TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- 2 overlay colours White and Sandstone.

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

MODEL	R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE 18' X 10'	
L138ER	12	1 3/8"	18" / 24" 6'-6" to 10' in 6" Increments		
L200ERX	18	2"	28"/32" 7'- to 10' in 4" Increments	16' X 10'	









Neufoam™

WeatherLock™ System TruBalance Drum System™



Both the Traditional Rockwood Collection and the Modern Rockwood Contemporary Collection feature handcrafted overlays of clear red cedar can be stained to enhance the richly grained wood's beauty and match your home's exterior detail. When painting your door, flush boards and overlays made of a composite material that offer a cost savings and no end-of-colour options for **A TRULY CUSTOM LOOK.**

WINDOW OPTIONS





V-GROOVE



Cedar boards are cut at a 45° angle and fit together to form a V-Groove. Available in 3" or 5" (76mm or 127mm) tongue-and-groove.

COMPOSITE MATERIAL



1/2" Extra composite material has a treated exterior. A smooth surface provides a flat exterior for painted doors.


CUSTOM COLOUR



Please see your R-W Authorized Dealer for complete details on overlay. With both paint and stain grade options available, your door can be customized to match your home's exterior styling.

Talk to your R-W Garage Doors dealer about all the different color options for your door.

ROCKWOOD STYLE OPTIONS




This is a small sampling of the Rockwood Style Options. Custom designs are available. See dealer for details.





MODEL	MODEL R-VALUE		SECTION HEIGHTS	GHTS MAX DOOR SIZE	
L200RW	_19.35	3" (2" Landmark	18"/21"/28"/32" 6'- 6" to 12' in 3" Increments	- 18' X 10'	
L200RWC	(Based on 1" Cedar Board)	Panel & 1" Cedar Board)	18"/21"/28"/32" 7'- to 10' in 4" Increments		

ROCKWOOD CONTEMPORARY CONFIGURATIONS



This is a small sampling of the Rockwood Contemporary Panel Options. Custom designs are available. See dealer for details.

FEATURES & BENEFITS

- Matching cedar capped channels blend evenly into the custom coloured panels.
- Ability to match any arched header. Can be constructed to match any opening.
- 2" of Neufoam™; Insulated polyurethane core to ensure energy efficiency.
- WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.










Neufoam™

Cooltones Richards-Wilcox

Simulate the look of an authentic wood door but on a durable and low maintenance Neufoam™ insulated steel door.





AVAILABLE IN THESE VIBRANT WOODTONES







AUBURN MOCHA WALNUT DRIFTWOOD

PANEL STYLE AVAILABILITY	Raised Ranch	Raised Colonial	Mixed Panel	Flush	Plank	Recessed Grooved Ranch	Recessed Grooved Colonial	Recessed Smooth Ranch	Windemere	
Classic (L138) Page 6	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	NOT AVAILABLE	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha	NOT AVAILABLE	
Premium (L200) Page 8	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha	NOT AVAILABLE	
Premium/Classic Contemporary (L200C & L138C) Page 10	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE	
Grandview (L200GV) Page 12	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	NOT AVAILABLE	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha	Available in: Auburn Mocha	

NOTE: Premium (L200) and Classic (L138) doors ordered with Ranch (Raised or Recessed Grooved), Colonial (Raised or Recessed Grooved) or Mixed Panel designs in Auburn or Mocha will be produced using dual-directional Woodtones. Recessed Smooth Ranch, Flush and Plank sections will be offered using single directional Woodtones.

Grandview (L200GV) Raised Ranch, Raised Colonial, Flush, Plank, Recessed Smooth Ranch and Windemere sections in Auburn and Mocha will be produced using single-directional Woodtones. Auburn and Mocha Recessed Grooved (Colonial or Ranch) sections will be produced using dual-directional Woodtones.

All Walnut sections will be produced using single directional Woodtones only.

All Driftwood sections will be produced using dual-directional Woodtones only.


Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

Models ordered with Plank or Flush designs will be offered using single-directional Woodtones only.

CLASSIC(L138) & PREMIUM(L200) WINDOW COLLECTION

When it comes to choosing the right window design for your garage door, no one can help you like your authorized R-W Dealer to achieve that perfect finishing touch to your new garage door. Once you've made your choice, that same R-W professional will install your new garage door, ensuring maximum performance and reliability Here is a sampling of Decorative plastic inserts and metal inserts.





BRECKENRIDGE

BERKSHIRE

ROUND BAR

3/8" (10 mm) round bars available in pewter. Standard with clear double glass; obscure pinhead and satin glass optional.

STOCKTON 4

METALLIC INSERTS

SQUARE BAR

3/8" (10 mm) square bars available in black. Standard with clear double glass; obscure pinhead and satin glass optional.

ALUMINUM GRID

5/8" (16 mm) grids available in sandstone, desert tan, almond, bronze, brown, café, slate grey, white and black. Standard with clear double glass; obscure pinhead and satin glass is optional.



МОСНА



PRAIRIE RANCH PRAIRIE COLONIAL

FRAME COLOURS: Window Frames available in standard door colours and wood finishes



GLASS OPTIONS







DRIFTWOOD

CLEAR

OBSCURE PINHEAD

*Available in single glass (clear and obscure pinhead) or double glass. (clear and obscure pinhead & satin)

DECORATIVE HARDWARE



STAMPED





LIFT HANDLE



CAST IRON

SPEAR

LIFT HANDLE





ARCHED

16" CAST IRON COLONIAL HINGE







CAST IRON DOOR STUDS



R-W Landmark SeriesTM

For additional information and friendly advice, please contact your local Richards-Wilcox dealer



RICHARDS-WILCOX GARAGE DOORS

5100 Timberlea Boulevard, Mississauga, Ontario Canada L4W 2S5

Toll Free: 1 (800) 667-1572 | Tel: (905) 625-0037 | Fax: (905) 625-0057 | Email: info@rwdoors.com

www.rwdoors.com