

RESTAURANT INDUSTRY BROCHURE





Eliason EHH-3 shown in a dining application.

RESTAURANT DOORS

Senneca Holdings is your one stop shop for all things restaurant doors. From kitchen doors such as cooler and freezer doors, to exterior entrance and exit doors, to the swinging traffic doors we're renowned for, let us make your job easier by taking care of all the details at one time.



 Chase Doors

AIRGARD ECONOCLEAR

TRAFFIC: Pedestrian, Push Cart
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket, Industrial & Commercial, Cooler, Freezer,
DOOR BODY: .120" clear PVC vinyl
HINGE: Top Mounted Gravity Hinge
AVAILABLE OPTIONS: Low Temperature or Anti-Static PVC material, impact plates



 ELIASON®

EHH-3

TRAFFIC: Pedestrian, Push Cart
APPLICATIONS: Kitchen & Restaurant,
DOOR BODY: .75" sustainable, moisture resistant, composite wood core, 1" total door thickness, full length stainless steel panel (both sides)
WINDOW: 9" x 14" flush window, clear acrylic, double glazed
HINGE: Eliason Hidden Hinge™
AVAILABLE OPTIONS: Full length whiteboard panel (one side) with full length stainless on customer-facing side.



 ELIASON®

ENG-1

TRAFFIC: Pedestrian & Push Cart
APPLICATIONS: Kitchen & Restaurant
DOOR BODY: Rigid PVC frame with honeycomb polymer core, 1-1/2" total door thickness. .032" decorative high-pressure laminate (both sides), with black plastic edge molding and 8" high black plastic scuff plate (both sides)
WINDOW: 9" x 14" flush window, clear acrylic, double glazed
HINGE: Eliason Hidden Hinge™
AVAILABLE OPTIONS: Various window sizes (including ADA Compliant) and scuff plates in various heights.



 ELIASON®

SCP-15

TRAFFIC: Pedestrian & Push Cart
APPLICATIONS: Kitchen & Restaurant
DOOR BODY: .75" sustainable, moisture resistant, composite wood core, 1" total door thickness. .032" decorative high-pressure laminate (both sides) with black plastic edge molding and 8" high black plastic scuff plate (both sides)
WINDOW: 9" x 14" flush window, clear acrylic, double glazed
HINGE: Eliason Hidden Hinge™
AVAILABLE OPTIONS: Custom size windows, impact plates and other options available.



 ELIASON®

SCP / SCG SERIES

TRAFFIC: Pedestrian & Push Cart
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: .75" sustainable, moisture resistant, composite wood core, 1" total door thickness.
WINDOW: 9" x 14" gasketed window, clear acrylic
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: Window options, Impact / Kick Plates, .032" decorative high-pressure laminate (both sides), Full perimeter gasketing (specify SCG series), Graphic Door options available.



Eliason SCP-15 shown in a dining application.



SCP Series shown in a dining to kitchen application with graphic door option.



 Chase Doors

XLP 5000

TRAFFIC: Pedestrian & Push Cart
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: Rotationally molded polyethylene panel with integrated bumper system molded into door skins, hollow core, anodized aluminum back spine.
HINGE: Custom XLP Concealed Hinge System
WINDOW: Molded-in 7" x 30" windows set in two-piece ABS frame
AVAILABLE OPTIONS: Powder Coated Back Spine in Black



 ELIASON®

FCG SERIES

TRAFFIC: Pedestrian, Push Cart, Pallet Jack
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: 1-1/2" thick foam insulated core, Full length stainless steel panels (both sides), Perimeter seal
WINDOW: 9" x 14" clear acrylic set in black rubber molding
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: Teardrop Bumpers, Jamb Guards / Push Plates, Window Options



 ELIASON®

DSP-3

TRAFFIC: Pedestrian, Push Cart, Pallet Jack
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: 16 gauge stainless steel with delta formed vertical edges.
WINDOW: 9" x 14" clear acrylic set in black rubber molding
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: 11" x 16" diamond shape translucent acrylic windows.



LWP Series shown in a kitchen application.



 ELIASON®

LWP SERIES

TRAFFIC: Pedestrian, Push Cart, Pallet Jack
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: .063" thick tempered aluminum alloy with delta formed vertical edges, anodized aluminum finish.
WINDOW: 9" x 14" clear acrylic set in black rubber molding
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: Various window options, 12" high stainless steel base plate (both sides), .032" decorative high-pressure laminate (both sides).



Chase XLP-5000 shown in a dining application.



 ELIASON®

P-11 PLUS

TRAFFIC: Pedestrian, Push Cart, Pallet Jack
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket, Industrial & Commercial
DOOR BODY: High strength polymer cell core with 1/2" PVC frame, 5/8" total door thickness, high impact thermoplastic exterior, galvanized powder coated satin black back spine
WINDOW: 14" x 16" clear acrylic set in black rubber molding.
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: 9" x 30" ADA-Compliant windows, stainless steel back spine



P-11 Plus shown in a dining application.



PE-500 / PG-500

TRAFFIC: Pedestrian, Push Cart, Pallet Jack
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: High density polyethylene textured both sides with a stainless steel back channel, 1/2" total door thickness.
WINDOW: 9" x 14" acrylic set in black rubber molding
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: Various Window Sizes, Jamb Guards, Impact Plates, Teardrop Bumpers, Perimeter Seal



PMP-2

TRAFFIC: Pedestrian, Push Cart, Pallet Jack
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: 1/4" thick ABS material reinforced with 2 pieces of 1/4" x 7" ABS along the jamb side, creating a back spline with a total thickness of 3/4" (capped with stainless steel back channel), textured surface (front side only)
WINDOW: 14" x 16" clear acrylic set in black rubber molding
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: ABS Impact Plates, ADA Compliant Windows, Lower Hinge Guards



DURULITE® RETAILER R-25

TRAFFIC: Pedestrian, Push Cart, Pallet Jack
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket, Industrial & Commercial, Cooler & Freezer
DOOR BODY: 1/8" thick high-density rotationally molded polyethylene and Non-CFC urethane foam core. Replaceable perimeter edge gasketing, full height backspine.
HINGE: V-Cam Hinge System
AVAILABLE OPTIONS: Various Window Sizes, Impact / Kick Plates, Teardrop Bumpers, Cart Guards, Locking Devices, 180° x 90° Hardware, SlideTrac Bumpers™



Eliason SCP Cafe Door shown with contour top in kitchen application.



Durulite Retailer R-25 shown in a back storage application.



LWP GATE / CAFE

TRAFFIC: Pedestrian
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: .063" thick tempered aluminum alloy, shown above with optional high-pressure laminate.
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: Contour top, .032" decorative high-pressure laminate (both sides). Wide selection of stock laminates available. Custom laminates can be specified.



P-11 PLUS GATE / CAFE

TRAFFIC: Pedestrian & Push Cart
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: .5" thick polymer cell core with .5" solid PVC frame, 5/8" total door thickness. High-Impact Thermoplastic exterior (both sides), available in multiple colors. Shown above with optional mounting post.
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: Mounting Post, Various Color Options



PMP GATE / CAFE

TRAFFIC: Pedestrian & Push Cart
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: .25" thick ABS material, reinforced with 2 pieces of .25" x 7" ABS along the jamb side (creating a .75" thick back spline). Shown above with optional mounting post.
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: Mounting Post, Various Color Options



SCP GATE / CAFE

TRAFFIC: Pedestrian & Push Cart
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: .75" sustainable, moisture resistant, composite wood core, 1" total door thickness. .032" decorative high-pressure laminate (both sides)
EDGE TRIM: Black plastic molding
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: Contour top and bottom, graphic door model option.



SCP Gate / Cafe shown in a restaurant application with a graphic door option added.



PMP Gate / Cafe shown in a dining / counter application.



SRP-5000 GATE / CAFE

TRAFFIC: Pedestrian & Push Cart
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: .5" thick USDA accepted stress relieved high-density, textured polyethylene panels, raised 10" from the floor. Standard 3.5" diameter powder coated gray steel posts that anchor to the floor.
EDGE TRIM: Black plastic molding
HINGE: Ultra-Soft Touch™ assisted gravity hinge system is "hidden" in back spine.
AVAILABLE OPTIONS: Powder coated black and white steel posts, optional panel colors available.



COLDGUARD SWINGING

TRAFFIC: Pedestrian
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket, Food Processing, Institutional, Cold Storage, Industrial
DOOR BODY: Thermally neutral fiberglass reinforced pultrusion (FRP) framework with CFC-Free foamed-in-place polyurethane core. Front casings are fiberglass reinforced pultrusions (FRP) with molded polymer plastic thru-wall and mirror image casings. Positive seal magnetic gasket is standard, along with self-lubricating cam lift hinges and standard cold storage latch.
WINDOW: Vision panels available in non-heated (cooler) or heated (freezer)
OTHER: Meets HR-6 Energy Independence and Security Act Requirements
AVAILABLE OPTIONS: Various Cladding Options, Accessory and Hardware Options, 6" Door Thickness for Extreme Cold



Chase ColdGuard Swinging Door shown in cold storage application.



Chase ColdGuard Glass Series shown above.



COLDGUARD GLASS SERIES

TRAFFIC: Pedestrian
APPLICATIONS: Restaurant, Retail & Supermarket, Cooler, Freezer
DOOR BODY: Aluminum door frame, reversible door swing, automatic hold-open, electrical hinge pin, torque and sag adjust, magnetic door gaskets, standard 27" deep shelving.
OTHER: EISA Compliant
AVAILABLE OPTIONS: 2 or 3 Pane Heated / Non-Heated Glass, Energy-Free Cooler Door, French Door Frame (cooler only), Pass-Thru Door Version, Prostar LED Lighting, Shelving



FIB-R-LITE FIBERGLASS

TRAFFIC: Pedestrian

APPLICATIONS: Restaurant, Retail & Supermarket, Pharmaceutical, Food Processing, Industrial, Clean Room, Corrosive

DOOR BODY: In-Mold 25-30 mil gel coat and muscular bi-axial glass fiber structural reinforcement layer. Phenolic Resin Impregnated Honeycomb core is standard.

AVAILABLE OPTIONS: Window Options, Lite Kit Options, Polypropylene Honeycomb Core, Gypsum Mineral Core, Polyisocyanurate Foam Core, Thresholds, Door Sweeps, Door Louvers, Weatherstrips and Gaskets, Astragals, Frame Options



Fib-R-Lite Fiberglass Door shown in interior corridor application.



Strip Door shown in a walk-in freezer application.



STRIP DOORS

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Forklift

APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket, Industrial & Commercial, Cooler & Freezer

DOOR BODY: Strip PVC material of choice, various bracket choices available.

BRACKET OPTIONS: Threaded Stud variations, TMI Loc variations, Standard and Heavy Duty Overhead

MATERIAL OPTIONS: Standard Clear PVC, Low Temp, Reinforced, Extra Low Temp, Offset Double Ribbed variations, Opaque Black and White, Anti-Static, Weld Screen and Safety Orange.



Eliason Stainless Steel Flush Door shown in kitchen application.



STAINLESS STEEL FLUSH DOORS & FRAME

TRAFFIC: Pedestrian

APPLICATIONS: Restaurant Interior, Restroom, Prep/Dining

DOOR BODY: 16 gauge 304 stainless steel (#4 finish) door and frame system with .063" thick aluminum diamond tread kickplate (both sides).

AVAILABLE OPTIONS: Window (Prep/Dining), Wide Angle Viewer (Prep/Dining)



MICROSHIELD AIR BARRIER

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Forklift

APPLICATIONS: Restaurant, Retail & Supermarket, Food Processing, Institutional

CONSTRUCTION: Compact, low-profile, available in 3,4 and 6 Feet lengths. Standard 110v plug-in units with 2 speed settings. Standard model includes remote and magnetic reed switch for Automatic Activation.

OTHER: CSA Listed in Canada and UL Listed in US and Canada.

AVAILABLE OPTIONS: Color Options Available



Horizontal Microshield Air Barrier shown in a restaurant application.

1



TRAFFIC DOORS

Common Applications:

Dining to Kitchen,
Break Room, Food
Prep Areas, Offices,
Walk-In Coolers

2



COLD STORAGE DOORS

Common Applications:

Reach-In Coolers & Freezers,
Drink Coolers, Walk-in
Coolers & Freezers

3



AIR BARRIERS

Common Applications:

Front Entrance,
Entry / Exit

4



FIBERGLASS DOORS

Common Applications:

Restrooms,
Break Rooms,
Entry / Exit, Fire Corridor,
Electrical Room

5



**STAINLESS STEEL
FLUSH DOORS & FRAME**

Common Applications:

Prep/Dining, Restroom,
Back Area, Offices

6



STRIP DOORS

Common Applications:

Stock Room,
Back Door, Walk-In
Coolers & Freezers



OTHER INDUSTRIES SERVED:



SUPERMARKETS / GROCERY STORES



RETAIL



INDUSTRIAL



COMMERCIAL



KITCHEN



RESTAURANT

In our continuing effort to improve, some specifications or descriptions may change. We reserve the right to make changes without notice or recourse.



SENNECA HOLDINGS
11502 CENTURY BOULEVARD, CINCINNATI, OH 45246
WWW.SENNECA.COM | SALES@SENNECA.COM | 800.543.4455

BROCHURE #: SENREST0518