

SUPERMARKET INDUSTRY BROCHURE





Chase Doors AirGard 973 shown in stock room application.

SUPERMARKET DOORS

Whether it's a traffic door, air barrier, roll-up door, fiberglass door or entry way door, Senneca Holdings has your entire supermarket application covered when it comes to door openings. Keep bugs and debris out by installing an Enershield Air Barrier above your secondary entry doors. Install double acting traffic doors to allow for ease-of-access for your employees. Durashield roll-up doors are perfect for allowing sunlight and ventilation into your back dock area, while deterring insects and debris. Still have questions? Please contact your local sales representative or call us at 800.543.4455.



Chase Doors

AIRGARD ECONOCLEAR®

TRAFFIC: Pedestrian, Push Cart
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket, Industrial & Commercial, Cooler, Freezer,
DOOR BODY: .120" clear PVC vinyl
HINGE: Top Mounted Gravity Hinge
AVAILABLE OPTIONS: Low Temperature or Anti-Static PVC material, impact plates



Chase Doors

AIRGARD POLAR-PRO®

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Cooler, Freezer, Washdown
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket, Industrial & Commercial, Cooler, Freezer (to -20°F only), Washdown
DOOR BODY: .080" thick USDA-Grade clear low temp PVC vinyl
HINGE: Spring Hinge System
AVAILABLE OPTIONS: .120" thick USDA-Grade Clear Low Temp PVC, 30" tall gray or clear impact plates (on both sides)



Chase Doors

AIRGARD® 100


TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Forklift
APPLICATIONS: Industrial & Commercial, Retail & Supermarket, Cooler, Freezer
DOOR BODY: 45 oz. abrasion-resistant, vinyl coated nylon material, flexible stays (one row per panel), top / bottom / jamb side wipers, 3" center overlap.
WINDOW: 30" x 14" window.
HINGE: Top Mounted Gravity Hinge
AVAILABLE OPTIONS: Window Options, Impact Plates / Pocket Weights, Hinge & Color Options



Chase Doors

AIRGARD® 200

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Forklift
APPLICATIONS: Industrial & Commercial, Retail & Supermarket, Cooler, Freezer
DOOR BODY: Constructed of two layers of abrasion-resistant, textured PVC laminated back to back, two rows of flexible horizontal stays, 3" center overlap, balloon jamb edge seals, top and bottom wipers,
WINDOW: Type 50, centered in each panel
HINGE: Top Mounted Gravity Hinge
AVAILABLE OPTIONS: Window Options, Impact / Kick Plates, Hinge & Color Options



Chase Doors

AIRGARD® 300

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Forklift
APPLICATIONS: Industrial & Commercial, Retail & Supermarket, Cooler, Freezer
DOOR BODY: Constructed of layers of bonded two-ply "belting" material, two rows of flexible horizontal stays, low temp applications to -30°F, 3" center overlap, 2" balloon jamb edge seals, top and bottom wipers, Forest Green only.
WINDOW: Type 50, centered in each panel
HINGE: Top Mounted Gravity Hinge
AVAILABLE OPTIONS: Window Options, Impact / Kick Plates, Hinge Options



Chase Doors

AIRGARD® 973

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Forklift
APPLICATIONS: Industrial & Commercial, Retail & Supermarket, Cooler
DOOR BODY: Constructed with a .160" thick PVC door body and a two-ply vinyl coated nylon bracket pocket. 3" overlap at the center on bi-parting doors provides a noise and temperature barrier. 48" high USDA accepted textured vinyl impact plates (both sides)
WINDOW: Extra large viewing area
HINGE: Top Mounted Gravity Hinge
AVAILABLE OPTIONS: Window Options, Impact / Kick Plates, Hinge & Color Options



Chase Doors

AIRGARD® UNI-FLEX 240

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Forklift
APPLICATIONS: Industrial & Commercial, Retail & Supermarket, Cooler, Freezer
DOOR BODY: Constructed of two layers of .120" laminated PVC with a total thickness of .240", embossed finish, 3" center overlap
WINDOW: Type 50 centered in each panel
HINGE: Top Mounted Gravity Hinge
AVAILABLE OPTIONS: Window Options



Chase Doors

AIRGARD® MEGA-PRO

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Forklift
APPLICATIONS: *Interior Applications Only.* Light Industrial, Commercial, Retail & Supermarket, Cooler, Freezer, Washdown
DOOR BODY: Constructed of .160" thick Clear Low Temp PVC and Galvanized Steel Universal Mounting Hardware (In-Jamb or Face-of-Wall
HINGE: Spring Hinge System, Bottom Breakaway Hinges
AVAILABLE OPTIONS: .240" thick Clear PVC, .275" thick Clear PVC, .275" thick Low Temp Clear PVC, 48" tall black Impact Plates (on both sides)



Chase Doors

AIRGARD® MEGA-PRO HD

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Forklift
APPLICATIONS: Industrial & Commercial, Retail & Supermarket, Washdown
DOOR BODY: Constructed of Industrial Grade Clear PVC panels, Powder Coated Galvanized Steel Mounting Hardware, and Rugged Frame.
HINGE: Spring Hinge System
AVAILABLE OPTIONS: 48" tall black Impact Plates



 Chase Doors

DURULITE® RETAILER

TRAFFIC: Pedestrian & Push Cart
APPLICATIONS: Kitchen & Restaurant, Industrial & Commercial, Cooler
DOOR BODY: Panel thickness is 1-1/2", skin thickness is 1/8". Rotationally molded polyethylene outer skin retains properties to -40°F.
WINDOW: Large Polycarbonate, black PVC frame.
HINGE: V-Cam Hinge System
AVAILABLE OPTIONS: Window options, Impact / Kick Plates, Teardrop Bumpers, Cart Guards, SlideTrac Bumpers™



 Chase Doors

DURULITE® RETAILER XHD

TRAFFIC: Pedestrian & Push Cart
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket, Cooler, Washdown
DOOR BODY: 1-1/2" overall panel thickness, Non-CFC urethane foam core, rotationally molded polyethylene outer skin thickness is 1/8" and retains properties to -40°F. Replaceable perimeter edge gasketing and a 1" diameter hinge post molded into door (full length). Reinforced leading edge aluminum extrusion.
HINGE: V-Cam Hinge System
AVAILABLE OPTIONS: Partial Door Gasketing, Window Options, Impact / Kick Plates, Teardrop Bumpers, Locking Devices, Cart Guards, SlideTrac Bumpers™



 Chase Doors

XLP 5000

TRAFFIC: Pedestrian & Push Cart
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket, Commercial
DOOR BODY: Rotationally molded polyethylene panel with integrated bumper system molded into door skins, hollow core, anodized aluminum back spine.
HINGE: Custom XLP Concealed Hinge System
WINDOW: Molded-in 7" x 30" windows set in two-piece ABS frame
AVAILABLE OPTIONS: Powder Coated Back Spine in Black



 ELIASON®

FCG SERIES

TRAFFIC: Pedestrian, Push Cart, Pallet Jack
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: .75" sustainable, moisture resistant, composite wood core, 1.5" total door thickness, Full length stainless steel panels (both sides), Perimeter seal
WINDOW: 9" x 14" clear acrylic set in black rubber molding
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: Teardrop Bumpers, Jamb Guards / Push Plates, Window Options



 ELIASON®

HCP-10 / HCG-10

TRAFFIC: Pedestrian, Push Cart, Pallet Jack
APPLICATIONS: Retail & Supermarket, Industrial & Commercial
DOOR BODY: Urethane foam core with a high strength structural PVC frame, 1-1/2" total door thickness, High-impact thermoplastic exterior, 18" high teardrop Bumpers (both sides).
WINDOW: 14" x 16" clear acrylic, double glazed set in black rubber molding
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: 24" high scuff plate (both sides), perimeter seal



 ELIASON®

LWP SERIES

TRAFFIC: Pedestrian, Push Cart, Pallet Jack
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: .063" thick tempered aluminum alloy with delta formed vertical edges, anodized aluminum finish.
WINDOW: 9" x 14" clear acrylic set in black rubber molding
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: Window options, 12" high stainless steel base plate (both sides), .032" decorative high-pressure laminate (both sides).



 ELIASON®

SCP / SCG SERIES

TRAFFIC: Pedestrian & Push Cart
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: .75" sustainable, moisture resistant, composite wood core, 1" total door thickness.
WINDOW: 9" x 14" gasketed window, clear acrylic
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: Window options, Impact / Kick Plates, .032" decorative high-pressure laminate (both sides), Full perimeter gasketing (specify SCG series)



 Chase Doors

DURULITE® STANDARD

TRAFFIC: Pedestrian, Push Cart, Pallet Jack
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket, Industrial & Commercial, Cooler, Freezer, Washdown
DOOR BODY: 1-7/8" overall panel thickness, 1/8" rotationally molded polyethylene outer skin thickness and retains properties to -40°F. Non-CFC urethane foam core, leading and back edge Internal reinforcement, gasketing.
HINGE: V-Cam Hinge System
AVAILABLE OPTIONS: Lower Hinge Guards, Window Options, Impact / Kick Plates, Teardrop Bumpers, 180° x 90° Hardware, Spring Assist, Locking Devices



 Chase Doors

DURULITE® RETAILER R-25

TRAFFIC: Pedestrian, Push Cart, Pallet Jack
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket, Industrial & Commercial, Cooler & Freezer
DOOR BODY: 1/8" thick high-density rotationally molded polyethylene and Non-CFC urethane foam core. Replaceable perimeter edge gasketing, full height backspine.
HINGE: V-Cam Hinge System
AVAILABLE OPTIONS: Window Options, Impact / Kick Plates, Teardrop Bumpers, Cart Guards, Locking Devices, 180° x 90° Hardware, SlideTrac Bumpers™



Eliason FCG Series shown in a supermarket application.



P-11 PLUS

TRAFFIC: Pedestrian, Push Cart, Pallet Jack
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket, Industrial & Commercial
DOOR BODY: High strength polymer cell core with 1/2" PVC frame, 5/8" total door thickness, high impact thermoplastic exterior, galvanized steel powder coated satin black.
WINDOW: 14" x 16" clear acrylic set in black rubber molding.
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: 9" x 30" ADA-Compliant Windows



PE-500 / PG-500

TRAFFIC: Pedestrian, Push Cart, Pallet Jack
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: High density polyethylene textured both sides with a stainless steel back channel, 1/2" total door thickness.
WINDOW: 9" x 14" acrylic set in black rubber molding
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: Window options, Jam Guards, Impact Plates, Teardrop Bumpers, Perimeter Seal



PMP-2

TRAFFIC: Pedestrian, Push Cart, Pallet Jack
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: 1/4" thick ABS material reinforced with 2 pieces of 1/4" x 7" ABS along the jamb side, creating a back spline with a total thickness of 3/4" (capped with stainless steel back channel), textured surface (front side only)
WINDOW: 14" x 16" clear acrylic set in black rubber molding
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: ABS Impact Plates, ADA Compliant Windows, Lower Hinge Guards



FX-9000 shown in warehouse / industrial setting.



DURULITE® INDUSTRIAL

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Forklift
APPLICATIONS: Retail & Supermarket, Industrial & Commercial, Cooler, Freezer, Washdown
DOOR BODY: 1-7/8" Overall thickness, 1/4" thick rotationally molded polyethylene skin retains properties to -40°F, leading & back edge internal reinforcement & gasket
WINDOW: 1/8" polycarbonate, black frame,
HINGE: V-Cam Hinge System
AVAILABLE OPTIONS: 180° x 90° Hardware, Teardrop Bumpers, Impact / Kick Plates, Lower Hinge Guards, Spring Assist, Locking Devices, Window Options




Chase Doors SR-9000 Traffic Door shown in stockroom to sales application.



DSP-3

TRAFFIC: Pedestrian, Push Cart, Pallet Jack
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: 16 gauge stainless steel with delta formed vertical edges.
WINDOW: 9" x 14" clear acrylic set in black rubber molding
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: 11" x 16" diamond shape translucent acrylic windows.



FX-9000

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Forklift
APPLICATIONS: Retail & Supermarket, Industrial & Commercial, Cooler
DOOR BODY: Overall panel thickness is 1-3/4", both sides of each door panel are clad with impact resistant ABS plastic, CFC-Free foam core, full perimeter gaskets.
WINDOW: 14-1/2" x 22-1/2" impact resistant polycarbonate vision panel set in sealed internal rigid PVC frame
HINGE: V-Cam Hinge System
AVAILABLE OPTIONS: Aluminum Jamb Guard, Spring Assist, Teardrop Bumpers



PROLINE 300 / 400

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Forklift
APPLICATIONS: Retail & Supermarket, Industrial & Commercial, Cooler
DOOR BODY: Wood Core, 1-1/2" thick (insulated, with foam), 3/4" thick (non-insulated), steel spine reinforcement, full perimeter replaceable bulb gaskets
WINDOW: Single panel 1/8" thick polycarbonate (for wood core), double pain (insulated)
HINGE: V-Cam Hinge System
AVAILABLE OPTIONS: Window options, Lower Hinge Guards, Impact / Kick Plates, Teardrop Bumpers, Cart Guards, Insulated / Non Insulated, Partially Gasketed Doors



SR-9000

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Forklift
APPLICATIONS: Retail & Supermarket, Industrial & Commercial, Cooler, Washdown
DOOR BODY: Overall panel thickness is 1-3/4", both sides of door panel clad with impact resistant ABS plastic. CFC-Free foam core and full perimeter gaskets
WINDOW: 14-1/2" x 22-1/2" Impact resistant polycarbonate vision panel set in PVC frame
HINGE: V-Cam Hinge System
AVAILABLE OPTIONS: Aluminum Jamb Guard, Spring Assist, Teardrop Bumpers up to 42" High



SCP GATE / CAFE

TRAFFIC: Pedestrian & Push Cart
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: .75" sustainable, moisture resistant, composite wood core, 1" total door thickness. .032" decorative high-pressure laminate (both sides)
EDGE TRIM: Black plastic molding
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: Contour top and bottom, graphic door model option.



LWP GATE / CAFE

TRAFFIC: Pedestrian
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: .063" thick tempered aluminum alloy, shown above with optional high-pressure laminate.
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: Contour top, .032" decorative high-pressure laminate (both sides). Wide selection of stock laminates available. Custom laminates can be specified.



SCP Gate / Cafe shown with graphic door option.



P-11 PLUS GATE / CAFE

TRAFFIC: Pedestrian & Push Cart
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: .5" thick polymer cell core with .5" solid PVC frame, 5/8" total door thickness. High-Impact Thermoplastic exterior (both sides), available in multiple colors. Shown above with optional mounting post.
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: Mounting Post, Various Color Options



PMP GATE / CAFE

TRAFFIC: Pedestrian & Push Cart
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: .25" thick ABS material, reinforced with 2 pieces of .25" x 7" ABS along the jamb side (creating a .75" thick back spline). Shown above with optional mounting post.
HINGE: Eliason Easy Swing® Hinge
AVAILABLE OPTIONS: Mounting Post, Various Color Options



SRP-5000 GATE / CAFE

TRAFFIC: Pedestrian & Push Cart
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket
DOOR BODY: .5" thick USDA accepted stress relieved high-density, textured polyethylene panels, raised 10" from the floor. Standard 3.5" diameter powder coated gray steel posts that anchor to the floor.
EDGE TRIM: Black plastic molding
HINGE: Ultra-Soft Touch™ assisted gravity hinge system is "hidden" in back spine.
AVAILABLE OPTIONS: Powder coated black and white steel posts, optional panel colors available.



COLDGUARD SLIDING

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Forklift
APPLICATIONS: Retail & Supermarket, Restaurant, Food Processing, Institutional, Cold Storage, Industrial
DOOR BODY: Heavy duty track system with permanently lubricated rollers, molded polymer face casings and impact resistant FRP perimeter panel framing with a CFC-Free foamed-in-place polyurethane insulation. Standard finish is 26 gauge USDA embossed white galvanized steel. Available in 4" and 6" panel thickness with an R Value of 26 and 40, respectively. Heavy duty under-panel track and a panel gasket system.
WINDOW: Vision panels available in non-heated (cooler) or heated (freezer)
OPERATOR: Standard 1900-RLS-M Operator, Optional 1900-RLS Operator available
AVAILABLE OPTIONS: Various Cladding Options, Accessory and Hardware Options



COLDGUARD SWINGING

TRAFFIC: Pedestrian
APPLICATIONS: Retail & Supermarket, Restaurant, Food Processing, Institutional, Cold Storage, Industrial
DOOR BODY: Thermally neutral fiberglass reinforced pultrusion (FRP) framework with CFC-Free foamed-in-place polyurethane core. Front casings are fiberglass reinforced pultrusions (FRP) with molded polymer plastic thru-wall and mirror image casings. Positive seal magnetic gasket is standard, along with self-lubricating cam lift hinges and standard cold storage latch.
WINDOW: Vision panels available in non-heated (cooler) or heated (freezer)
OTHER: Meets HR-6 Energy Independence and Security Act Requirements
AVAILABLE OPTIONS: Various Cladding Options, Accessory and Hardware Options, 6" Door Thickness for Extreme Cold



COLDGUARD VERTICAL LIFT

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Forklift
APPLICATIONS: Retail & Supermarket, Restaurant, Food Processing, Institutional, Cold Storage, Industrial
DOOR BODY: Thermally neutral fiberglass reinforced pultrusion (FRP) framework and foamed-in-place core. Standard torsion spring counterbalance system, heavy duty hardware and 3" tracks and a neoprene seal on face of casings. Track mounted neoprene rubber low temp cloth reinforced gasket located on the bottom edge of the door. Freezer doors equipped with 115 volt perimeter heat cables.
WINDOW: Vision panels available in non-heated (cooler) or heated (freezer)
OPERATOR: Standard Power Operator
AVAILABLE OPTIONS: Various Cladding Options, Accessory and Hardware Options



COLDGUARD GLASS SERIES

TRAFFIC: Pedestrian
APPLICATIONS: Retail & Supermarket, Cooler, Freezer
DOOR BODY: Aluminum door frame, reversible door swing, automatic hold-open, electrical hinge pin, torque and sag adjust, magnetic door gaskets, standard 27" deep shelving.
OTHER: EISA Compliant
AVAILABLE OPTIONS: 2 or 3 Pane Heated / Non-Heated Glass, Energy-Free Cooler Door, French Door Frame (cooler only), Pass-Thru Door Version, Prostar LED



Chase ColdGuard Sliding Cold Storage Door shown in Freezer room application.



FIB-R-LITE FIBERGLASS

TRAFFIC: Pedestrian
APPLICATIONS: Restaurant, Retail & Supermarket, Pharmaceutical, Food Processing, Industrial, Clean Room, Corrosive
DOOR BODY: In-Mold 25-30 mil gel coat and muscular bi-axial glass fiber structural reinforcement layer. Phenolic Resin Impregnated Honeycomb core is standard.
AVAILABLE OPTIONS: Window Options, Lite Kit Options, Polypropylene Honeycomb Core, Gypsum Mineral Core, Polyisocyanurate Foam Core, Thresholds, Door Sweeps, Door Louvers, Weatherstrips and Gaskets, Astragals, Frame Options



Fib-R-Lite Fiberglass Door shown in interior corridor application.



INDUSTRIAL CURTAINS

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, forklift
APPLICATIONS: Retail & Supermarket, Industrial, Food Processing, Distribution
DOOR BODY: 18 oz. material with a top reinforced sewn hem with stainless steel grommets available in 12", 18" or 24" increments.
AVAILABLE OPTIONS: Window Options Available, Optional Track System, Various Color Options



INSULATED CURTAINS

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Forklift, Vehicle
APPLICATIONS: Retail & Supermarket, Food Processing, Industrial, Distribution, Cold Storage
DOOR BODY: 18 oz. vinyl coated polyester fabric material and an inner core of single or double ply double bubble insulation. Each wall made of 54" wide panels
AVAILABLE OPTIONS: Window Options, Bottom Hem for pipe or chain, Glued Adhesive, Track and Trolley Hardware, Vertical Stiffener Pockets, Cut Out Reinforced Hand Pulls, 6" Floor Sweep



STRIP DOORS

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Forklift
APPLICATIONS: Kitchen & Restaurant, Retail & Supermarket, Industrial & Commercial, Cooler & Freezer
DOOR BODY: Strip PVC material of choice, various bracket choices available.
BRACKET OPTIONS: Threaded Stud variations, TMI Loc variations, Standard and Heavy Duty Overhead
MATERIAL OPTIONS: Standard Clear PVC, Low Temp, Reinforced, Extra Low Temp, Offset Double Ribbed variations, Opaque Black and White, Anti-Static, Weld Screen and Safety Orange.



CONTROLSA 100SR / 110RI HIGH SPEED DOORS

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, forklift, vehicle
APPLICATIONS: Retail & Supermarket, Pharmaceutical, Food Processing, Industrial, Aviation, Car Wash (Cold Storage - Model 104SF)
DOOR BODY: 30 mil heavy duty, vinyl coated polyester material, added panel retention, frame guide system
FEATURES: PLC Controller & Frequency Inverter, Soft Bottom Edge, Electronic Safety Sensor
ACTIVATION OPTIONS: Push Buttons, Pull Cords, Photo Cell, Motion Detector, Radio Transmitter / Receiver
DEGREE OF PROTECTION: Normal Environments without condensation



CONTROLSA 140RA EXTERIOR HIGH SPEED DOOR

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, forklift, vehicle
APPLICATIONS: Retail & Supermarket, Pharmaceutical, Food Processing, Industrial, Aviation, Car Wash
DOOR BODY: 30 mil heavy duty, vinyl coated polyester material, added panel retention, frame guide system
FEATURES: PLC Controller & Frequency Inverter, Soft Bottom Edge, Electronic Safety Sensor System
ACTIVATION OPTIONS: Push Buttons, Pull Cords, Photo Cell, Motion Detector, Radio Transmitter / Receiver
DEGREE OF PROTECTION: Locations exposed directly to exterior areas and / or with high air pressure.



ROLL-UP DOORS

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, forklift
APPLICATIONS: Retail & Supermarket, Industrial, Manufacturing
DOOR BODY: Constructed with your choice of Bug or Bird Screen, Solid Vinyl or Wire Mesh. Can be placed on the inside or outside of a building and can be mounted either in jamb, on the face of wall, or with standoff brackets.
AVAILABLE OPTIONS: Manual or Motor Operation, Sliding Doors Bug or Big Screen material, Solid Vinyl material, Wire Mesh material



MICROSHIELD AIR BARRIER

TRAFFIC: Pedestrian, Push Cart, Pallet Jack, Forklift
APPLICATIONS: Retail & Supermarket, Restaurant, Food Processing, Institutional
CONSTRUCTION: Compact, low-profile, available in 3,4 and 6 Feet lengths. Standard 110v plug-in units with 2 speed settings. Standard model includes remote and magnetic reed switch for Automatic Activation.
OTHER: CSA Listed in Canada and UL Listed in US and Canada.
AVAILABLE OPTIONS: Color Options Available



Strip Door shown as secondary door in a walk-in cooler/freezer application.

1



TRAFFIC DOORS

Common Applications:

Sales to Back Room,
Break Room, Food
Prep Areas, Offices,
Walk-In Coolers

2



COLD STORAGE DOORS

Common Applications:

Reach-In Coolers & Freezers,
Beer Caves, Drink Coolers
Walk-in Coolers & Freezers,
Cold Storage Environments

3



AIR BARRIERS

Common Applications:

Front Entrance, Loading
Docks, Entry / Exit, Walk-In
Coolers

4



FIBERGLASS DOORS

Common Applications:

Restrooms, Pharmacy,
Break Rooms,
Entry / Exit, Exterior
Fire Doors, Fire Corridor,
Electrical Room

5



ROLL-UP DOORS

Common Applications:

Sales to Back Room,
Loading Docks,
Secondary Entry / Exit,
Walk-In Coolers

6



STRIP DOORS

Common Applications:

Stock Room,
Back Area, Open Coolers,
Offices



OTHER INDUSTRIES SERVED:



SUPERMARKETS / GROCERY STORES



RETAIL



INDUSTRIAL



COMMERCIAL



KITCHEN



RESTAURANT

In our continuing effort to improve, some specifications or descriptions may change. We reserve the right to make changes without notice or recourse.



SENNECA HOLDINGS
11502 CENTURY BOULEVARD, CINCINNATI, OH 45246
WWW.SENNECA.COM | SALES@SENNECA.COM | 800.543.4455

BROCHURE #: SENSUPER0618